


MSA Latchways® Vertical Ladder Lifeline Kits

Technical Datasheet

Vertical
ladder lifeline



Vertical ladder
lifeline with
extension post





WE KNOW WHAT'S AT STAKE.

MSA Latchways Vertical Ladder Lifeline Kits

Technical Datasheet

Technical Specifications


Standard	EN 353-1:2018 CSA – Z259.2.5-17 ANSI – Z359.16-2016
Maximum simultaneous users	Up to 2 users (if using a LadderLatch device & TowerLatch device) Up to 4 users (if using a TowerLatch SP device)
Capacity per user	Minimum 50 Kg Maximum 150 Kg
Range or Rung spacing	8.86"-12." (225mm-305mm)
Range of Rung sizes	
Cable diameter	8 mm, 1 x 19 Stainless Steel 316
Materials	<ul style="list-style-type: none"> Vertical lifeline and components: 316 Stainless Steel (1.4401) Extension post: Mild Steel – Galvanised Energy Absorber: 316 Stainless Steel (1.4401), PVC M5240 & Nylon 66 LadderLatch device: 316 Stainless Steel, 17/4 PH Stainless Steel, Steel, Nylon 6 & ABS
Extension post height	2m above the top rung of the ladder
Operating Temperature	50°C (112°C) to -50°C (-58°C)
Components (see next page)	<ol style="list-style-type: none"> Galvanised Top Anchor Extension Post Fixing Kit (only available in kits with Extension Post) Top Anchor Fixing Kit Energy Absorber Lifeline Assembly Galvanised Extension Post (only available in kits with Extension Post) Ladder Mount Intermediate Cable Guide Cable Guide Fixing Kit System Label Kit Bottom Anchor Assembly <p>Also included: Swageslip indicator & 1x19 8mm Stainless Steel Cable</p>
Tools required	

MSA Latchways Vertical Ladder Lifeline Kits

Technical Datasheet

Vertical Ladder Lifeline Kit - Ordering Information

Part Number	L1	L2
30923-00	3m (10')	3m (10')
30924-00	6m (20')	6m (20')
30925-00	12m (40')	12m (40')
30906-00	19m (60')	19m (60')
30907-00	25m (80')	25m (80')
30908-00	31m (100')	31m (100')
30909-00	37m (120')	37m (120')
30910-00	43m (140')	43m (140')
30911-00	49m (160')	49m (160')
30912-00	55m (180')	55m (180')



Vertical Ladder Lifeline Kit (with extension post) - Ordering Information

Part Number	L1	L2
30913-00	3m (10')	5m (15.6')
30914-00	6m (20')	9m (25.6')
30915-00	12m (40')	15m (45.6')
30916-00	19m (60')	21m (65.6')
30917-00	25m (80')	27m (85.6')
30918-00	31m (100')	33m (105.6')
30919-00	37m (120')	39m (125.6')
30920-00	43m (140')	45m (145.6')
30921-00	49m (160')	51m (165.6')
30922-00	55m (180')	57m (185.6')

LadderLatch Device - Ordering Information

Part Number	Conformance
3100L-00T	EN 353-1:2018
3103L-00	CSA – Z259.2.5-17
3104L-00	ANSI – Z359.16-2016

For other devices, please contact your sales manager

